



SUMMIT
AUTOMATION
Bringing Doors to Life!®

Summit Automation provides the best door and window automation systems in the world with exceptional Customer care.

Tilt Up User Instructions

Basic Operation

Check the area:

Make sure the window's operating space is clear of people, pets, and objects.

Press OPEN:

The system will ask you to confirm the area is clear and that the window is UNLOCKED.

Window opening:

After confirmation, the window opens to the installer-set position (up to 90 degrees).


Press STOP anytime to halt movement.

Closing the window:

When closing, the window will pause at the last 30% of the close before fully closed.


Final CLOSE confirmation:

Confirm it is safe to continue, then the window will finish closing.




Dwell Time

An **18-minute wait period**, called the “Dwell Time,” is required before starting another full awning window operating cycle. This pause ensures safe, reliable system performance. Failure to observe the dwell time may void warranty.




Term Definitions

Press the Gear icon on the **12-in-1** to access settings and cycle through the **Safety Settings, Diagnostics, and Background pages.**



Safety Settings

The **Safety Settings** page lets the homeowner turn the door warning on or off. It is **on by default**, and keeping it enabled is strongly recommended for safe operation.





Home Page Settings

Rename Page: Lets the homeowner change the home screen title.

Words: Toggle between text labels (**Open, Close, Stop, Unlock**) and symbols.

Guest Mode: Limits system access for guests. To turn off, press and hold the **Summit** symbol at the bottom until the control symbols appear.



Background Page

The **Background page** allows the homeowner to customize the touchscreen screensaver.

Preset Images include six built-in options that the homeowner can select and activate as the screensaver.

The **Color Picker** provides a basic color wheel, allowing the homeowner to choose a solid color for the screensaver.

A **Custom Image** can be added to the 12-in-1 touchscreen prior to shipping. Alternatively, the 12-in-1 unit can be shipped to us, and the homeowner may email a custom image for us to upload to the touchscreen.

